

Declaration of Performance



Lister Trade Frames Ltd.
Unit 2, Fenton Industrial Estate, Fenton,
Stoke-on-Trent, Staffordshire. ST4 2RS. UK

Product first CE marked in 2013

DoP No: 3 – PVC win

Elitis PVC Window (opening out casement or tilt & turn) intended for use in domestic and commercial refurbishment or new building applications.

Annex ZA.1 of BS EN 14351-1:2006+A1:2010

Watertightness	: NPD
Dangerous substances	: NONE.
Resistance to wind load	: NPD
Load-bearing capacity of safety devices	: Pass, 350N when fitted (1)
Acoustic performance	: NPD
Thermal transmittance	: $\leq 1.6 \text{ W/m}^2\text{k}$ (2)
Radiation Properties	: NPD
Air permeability	: NPD

A Factory Production Control (FPC) system is established, documented and maintained in accordance with AVCP System 3 as per Annex ZA.2 of BS EN 14351-1:2006+A1:2010. Product date of manufacture: as determined by Ref. number on completion document.

(1) Report No. 2370/7479366/1 of 3 Issue 1 dated 25.12.2012 for Safety & Security friction hinges with built in restrictor – BSI Notified Test Body No. 0086

(2) Thermal Transmittance calculation to EN ISO 10077-1. The Veka Group Notified Body Thermal Transmittance Reports carried out by Buildcheck (Notified Body No 1806) – Report No. CU13238-1,2,3,4 dated 19/06/2013.

Mark Warren
Name (Print)


Signed

Managing Director
Position

01/03/2013 Stoke-on-Trent UK
Date and Place of Issue